

नवीन कृषि पाणी तटा लवदा समोर महाराष्ट्र राज्याचे  
वातू मांडण्याच्या दृष्टीने शासनचे तांत्रिक सल्लागार  
श्री. श्री. मा. हुदाग यांची नियुक्ती करण्यात आली

**महाराष्ट्र शासन**  
जलसंधारण विभाग

शासन निर्णय क्र. कृषि/सं. २००६/१ (२९.७.२००६) तमने

प्रमाणित, मुंबई- ४०० ०३२

दिनांक-१०.१०.२००६

**१. प्रस्तावना :-**

नवीन कृषि पाणी तटा लवदा समोर महाराष्ट्र राज्याची वातू मांडण्यासाठी अर्पित  
समयानुसार २४.४९ कोटी रुबांच्या अंदाजपत्रकाने मान्यता देण्यात आली असून निर्णय  
क्र. २९.७.२००६ रोजीच्या मंत्रिमंडळ बैठकीने दुरुस्त आलेला आहे. त्यानुसार शासन परिपत्रक क्र.  
कृषि/सं. २००६/१ (२९.७.२००६) तमने दि. २९.७.२००६ अन्वये नवीन कृषि पाणी तटा लवदा  
कक्षाच्या कामकाजासाठीच्या २४.४९ कोटी रुबांच्या अंदाजपत्रकाने मान्यता देण्यात  
आलेली आहे. नवीन कृषि पाणी तटा लवदा समोर महाराष्ट्र राज्याचे वातू मांडण्याचे मांडण्याच्या  
दृष्टीने लवदाच्या कामकाजाच्या कार्यनिवेदनक याची लक्षात घेऊन तांत्रिक सल्ला देण्यासाठी  
महाराष्ट्र शासनाच्या रुबांच्या कक्षात सध्या सहाय्यक सल्लागार आलेला असून श्री. श्री. मा. हुदाग  
यांची नियुक्ती यासाठी महाराष्ट्र शासनचे तांत्रिक सल्लागार म्हणून नियुक्ती करण्यात आली आहे  
शासनाच्या विभागातील होते.

**शासन निर्णय :-**

२.१ नवीन कृषि पाणी तटा लवदा समोर महाराष्ट्र राज्याची वातू मांडण्याचे मांडण्याच्या दृष्टीने  
लवदाच्या कामकाजाच्या कार्यनिवेदनक याची लक्षात घेऊन तांत्रिक सल्ला देण्यासाठी श्री.  
श्री. मा. हुदाग, नियुक्त सल्लागार यांची या शासन निर्णयाच्या दिनांकापासून कृषि पाणी तटा  
लवदाच्या आंतरिम निर्णय होईपर्यंत महाराष्ट्र शासनचे तांत्रिक सल्लागार (Technica  
Advisor) म्हणून नियुक्ती करण्यात येत आहे.

सीकेतांक २०१४१२१५१५०४७१०२७

[illegible]

०३ प्रस्तावना, विद्यमान की व संस्था विनिर्देश मनुष्यसंख्या, संस्थागत विवरण, सामान्य विवरण, प्रबंधन संरचना - १५३ पृष्ठ, तथा उत्तर प्रश्नोत्तर अनुसूची संलग्न

३. मानवसंसाधनों का विकास विशेष ध्यान देकर तथा एक व्यवस्थित योजनाओं के माध्यम से प्रोत्साहित किया जाये। सामान्य, प्रशिक्षण व विज्ञान आधारित विद्यमान योजनाओं के अन्तर्गत आनेवाले विद्यमान, प्रत्येक वर्षों के लिए कम से कम १.५० प्रतिशत वृद्धि दर्ज हो।

[illegible][illegible]



३. सर्वार्थसाधकं चैव सर्वार्थसाधकं चैव सर्वार्थसाधकं चैव

1951

$\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$

1000

८०० ३३ ३३३

(100) कृष्णा पानी रंदा नकाद

(२४) (२२) - अर्थसूचक अधिपत्रक द्वारा जहाँ जहाँ तबू लगाने दिशाएं हैं, वहाँ

( व अ स्मृति )

*Syntherisma*

$\frac{1}{\sqrt{\pi}} \int_{-\infty}^{\infty} f(x) e^{-x^2} dx = \frac{1}{\sqrt{\pi}} \int_{-\infty}^{\infty} f(x) e^{-x^2} dx$

Figure 1. The effect of the concentration of the *Agaricus bisporus* spores on the growth of *Agaricus bisporus* on the substrate. The concentration of the spores was 10<sup>4</sup> spores/ml (a), 10<sup>5</sup> spores/ml (b), 10<sup>6</sup> spores/ml (c), 10<sup>7</sup> spores/ml (d), 10<sup>8</sup> spores/ml (e), 10<sup>9</sup> spores/ml (f), 10<sup>10</sup> spores/ml (g), 10<sup>11</sup> spores/ml (h), 10<sup>12</sup> spores/ml (i), 10<sup>13</sup> spores/ml (j), 10<sup>14</sup> spores/ml (k), 10<sup>15</sup> spores/ml (l). The substrate was 100 g of the substrate. The concentration of the spores was 10<sup>4</sup> spores/ml (a), 10<sup>5</sup> spores/ml (b), 10<sup>6</sup> spores/ml (c), 10<sup>7</sup> spores/ml (d), 10<sup>8</sup> spores/ml (e), 10<sup>9</sup> spores/ml (f), 10<sup>10</sup> spores/ml (g), 10<sup>11</sup> spores/ml (h), 10<sup>12</sup> spores/ml (i), 10<sup>13</sup> spores/ml (j), 10<sup>14</sup> spores/ml (k), 10<sup>15</sup> spores/ml (l).

[illegible]

Figure 1: Schematic representation of the experimental design. The figure shows a sequence of eight panels labeled A through H. Panel A shows a subject in a car with a steering wheel and a control panel. Panel B shows a subject in a car with a steering wheel and a control panel. Panel C shows a subject in a car with a steering wheel and a control panel. Panel D shows a subject in a car with a steering wheel and a control panel. Panel E shows a subject in a car with a steering wheel and a control panel. Panel F shows a subject in a car with a steering wheel and a control panel. Panel G shows a subject in a car with a steering wheel and a control panel. Panel H shows a subject in a car with a steering wheel and a control panel.

Figure 1 consists of five panels, A through E, each showing a line graph of log CFU/g versus time in hours. The y-axis for all panels ranges from 0 to 10, and the x-axis ranges from 0 to 10 hours. In each panel, a solid line represents the control (no treatment), which increases linearly from 0 to 10 log CFU/g over 10 hours. Dashed lines represent different treatment conditions. Panel A (Control) shows the control line reaching 10 log CFU/g at 10 hours. Panel B (100% NaOH) shows a dashed line that drops sharply from 0 to approximately 2 log CFU/g within the first hour and then remains relatively stable. Panel C (100% H<sub>2</sub>O<sub>2</sub>) shows a dashed line that drops sharply from 0 to approximately 2 log CFU/g within the first hour and then remains relatively stable. Panel D (100% NaOCl) shows a dashed line that drops sharply from 0 to approximately 2 log CFU/g within the first hour and then remains relatively stable. Panel E (100% NaOH + 100% H<sub>2</sub>O<sub>2</sub>) shows a dashed line that drops sharply from 0 to approximately 2 log CFU/g within the first hour and then remains relatively stable.

Figure 1 consists of six panels, labeled A through F, showing the time course of the effect of 100  $\mu$ M 1,25(OH) $_2$ D $_3$  on the expression of the p21 gene in CEM cells. Each panel shows a gel electrophoresis image with a single band representing p21 expression. The intensity of the band increases from panel A (0 hours) to panel F (24 hours). Above the panels, a horizontal arrow indicates the duration of treatment with 100  $\mu$ M 1,25(OH) $_2$ D $_3$  from 0 to 24 hours. Below each panel, the corresponding time point is listed: A: 0 h, B: 2 h, C: 4 h, D: 6 h, E: 12 h, F: 24 h.

1. Name of the person	2. Address	3. City	4. State	5. Zip	6. Phone	7. Fax
Mr. John Doe	123 Main St.	New York	NY	10001	212-555-1234	212-555-5678

75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

~~XXXXXXXXXXXX~~     ~~XXXXXXXXXX~~     ~~XXXXXXXXXX~~     ~~XXXXXXXXXX~~     ~~XXXXXXXXXX~~     ~~XXXXXXXXXX~~

$$17. \quad \frac{1}{x^2} = x^{-2} \quad \frac{d}{dx} x^{-2} = -2x^{-3} = -\frac{2}{x^3}$$
[illegible]

$\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$

[illegible]
$$\begin{array}{l} \text{1. } \frac{1}{x^2} = x^{-2} \quad \frac{d}{dx} x^{-2} = -2x^{-3} = -\frac{2}{x^3} \\ \text{2. } \frac{1}{x^3} = x^{-3} \quad \frac{d}{dx} x^{-3} = -3x^{-4} = -\frac{3}{x^4} \\ \text{3. } \frac{1}{x^4} = x^{-4} \quad \frac{d}{dx} x^{-4} = -4x^{-5} = -\frac{4}{x^5} \\ \text{4. } \frac{1}{x^5} = x^{-5} \quad \frac{d}{dx} x^{-5} = -5x^{-6} = -\frac{5}{x^6} \\ \text{5. } \frac{1}{x^6} = x^{-6} \quad \frac{d}{dx} x^{-6} = -6x^{-7} = -\frac{6}{x^7} \\ \text{6. } \frac{1}{x^7} = x^{-7} \quad \frac{d}{dx} x^{-7} = -7x^{-8} = -\frac{7}{x^8} \\ \text{7. } \frac{1}{x^8} = x^{-8} \quad \frac{d}{dx} x^{-8} = -8x^{-9} = -\frac{8}{x^9} \\ \text{8. } \frac{1}{x^9} = x^{-9} \quad \frac{d}{dx} x^{-9} = -9x^{-10} = -\frac{9}{x^{10}} \end{array}$$
$$\frac{d}{dx} \left( \frac{1}{x^2} \right) = -\frac{2}{x^3}, \quad \frac{d}{dx} \left( \frac{1}{x^3} \right) = -\frac{3}{x^4}, \quad \frac{d}{dx} \left( \frac{1}{x^4} \right) = -\frac{4}{x^5}, \quad \frac{d}{dx} \left( \frac{1}{x^5} \right) = -\frac{5}{x^6},$$
[illegible]
$$\frac{d}{dt} \left( \frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$$